

BOXES AND ACCESSORIES ALUMINIUM AND PVC



GIMENEZ GANGA

ALUMINIUM PROFILE- BOX

Available Sizes

137-150-165-180-205-250-300-400

Box made of prewashed aluminium covered in enamel which is highly resistant. It is protected with clingfilm that can be removed.

TECHNICAL CHARACTERISTICS

Material:	Lacquer aluminium
Nominal thickness:	0,77 mm.
Unit of packaging:	1 packet 30 m/l.
Length of production:	6,00 m/l.

RECOMMENDED BOX ACCORDING TO HEIGHT

BOX	137	165	180	205
MINI 40 PVC	140	210	250	350
ALUGIX 39,5	160	255	315	415
ALUGIX 45	130	220	260	360
PS 40	110	165	210	260
PS 40 MICRO	140	230	280	320
PS 45 autoc.	120	185	220	260

WAYS OF MEASUREMENT


TYPE A



TYPE B



TYPE C



COLOUR CHART

- **STANDARD:** White, Bronze, Silver, Ivory
- **RAL:** Black 9011, Brown 8014, Green 6005, Green 6009, Red 3005.
- **WOODS:** Light wood, Dark wood.

Besides the recommended standard colours, we can make our own products in any other colour from the RAL chart according to demand. You should request the price and delivery.

TYPE OF ASSEMBLY





TABLE OF SIZES


	137	150	165	180	205	250	300	400
2 PARTS	●	●	●	●	●	●	●	●
3 PARTS	●	●	●	●	●	●	●	●
4 PARTS	●	●	●	●	●	●	●	●
2 PARTS 45°	●	●	●	●	●	●	●	●

● Available sizes.


2 PARTS ALUMINIUM BOX




3 PARTS ALUMINIUM BOX



4 PARTS ALUMINIUM BOX



2 PARTS BOX 45°



PVC EUROBLOCK

AVAILABLE SIZES
155, 170, 185, 200



The PVC EUROBLOCK of double wall offers the same aesthetic characteristics and the same inside capacity as the aluminium one. At the same time it allows you to create different mixed combinations of aluminium and PVC making it more thermal and so creating watertight compartments. Combining PVC and aluminium parts we can get the breaking of the thermal bridge.

TECHNICS DATA

EUROBLOCK PVC BOX DOUBLE WALL


Thickness of profile	10 mm.
Thickness of wall	1 mm.
General weight m/l set of profiles	2,800 Kgr.
Maximum lenght of production	6 m/l.
Thickness of space between double wall	0,80 mm
Packaging: 1 packet	12 m/l.

RECOMMENDED BOX

ACCORDING TO HEIGHT

BOX	155	170	185	200
MINI 40 PVC	170	215	250	335
ALUGIX 39,5	190	230	300	340
ALUGIX 45	145	195	250	280
PS-40	140	165	195	245
PS-40 micro	160	220	260	340
PS-45 autoc.	130	165	210	235

EXIT STRAP




RESULT OF EXPERIMENT ABOUT BOX EUROBLOCK 15,5 AND EUROBLOCK 18,5

		EUROBLOCK 15,5	EUROBLOCK 18,5
Wind resistant	UNE en 12207: 2000	Class 3 (very good)	Class 3 (very good)
Wathertighness	UNE en 1027: 2000	Class 9A (exceptional)	Class 8A (very good)
Sound proofing	UNE en ISO 140-3:1995	Ra=21,8 dBA	Ra=30,7 dBA
Thermic factor	DIN 52.619	K = 2.	K = 1.8
Wathertighness	UNE en 85247:2004	Excellent	Excellent
" INSITU" at work			

WAYS OF MEASUREMENT

TYPE A



TYPE B




TYPE C



COLOUR CHART

- **STANDARD:** White, Bronze, Silver
- **RAL:** Black 9011, Brown 8014, Green 6005, Green 6009, Red 3005, Red 3007, Ivory 1015 Grey 7012, Brown 8017
- **WOODS:** See colors chart, different imitations are made.

Besides the recommended standard colours, we can make our own products in any other colour from the RAL chart according to demand. You should request the price and delivery.



System
not levelness



System
levelness



Macore



Mahogany



Golden



Walnut



Dark oak



Green 6.009



Pino nudo



Oak



Sapely



Dark Sapely



Walnut

RENOLIT WOODS
Made with special protection
to be installed outdoors

INSIDE WOODS
Made for inside installations
not guaranteed for outdoors

ACCESSORIES





14

15

16

29

30

32

33

34

31

35

36

38

41

39

40

37

42

43

44

45

DESCRIPTION

- 1 Set of end cap aluminium box 137,165,180,205
- 2 Set of central end cap aluminium box 137,165,180,205
- 3 Set of end cap levelness PVC box 155,170,180,200
- 4 Set of central end cap levelness PVC box 155,170,185,200
- 5 Set of end cap aluminium box 45°,137,150,165,180,205
- 6 Set of central end cap aluminium box 45°,137,150,165,180,205
- 7 Set of plates 137,150,165,180,205
- 8 Set of plates 45°,137,150,165,180,205
- 9 Mixed arrow spring lock
- 10 Mixed spring lock with holes
- 11 Metal arrow spring lock
- 12 Metal spring lock with hole
- 13 Covered mixed spring lock
- 14 Set of end-guide for levelness box
- 15 Set of end-guide for aluminium box
- 16 Set of end-guide with roller for aluminium box
- 17 Cord guide PVC with spring
- 18 Strap guide "nou" with spring
- 19 Spring 14,18,20 strap
- 20 Bellow strap guide PVC box 14,18,20
- 21 Strap guide aluminium box 14,18,20 strap
- 22 Front strap guide PVC box 14,18,20 strap
- 23 Mini straight strap guide 14,18 strap
- 24 Mini deflector strap guide 14,18 strap
- 25 Pulley of 12 x 42 with lodging 14,18,20 strap
- 26 Pulley of 14 x 42 with lodging 14,18,20 strap
- 27 Pulley of 12 x 42 with shaft 14,18,20 strap
- 28 Pulley of 14 x 42 with shaft 14,18,20 strap
- 29 Pulley of zamack with shaft 42 axle
- 30 Pulley of zamack with lodging 42 axle for rope
- 31 PVC roller cap with lodging 42 axle
- 32 Telescopic PVC roller cap with lodging 42 axle
- 33 Telescopic PVC roller cap with shaft 42 axle
- 34 PVC roller cap with lodging 60 axle
- 35 Telescopic zamack roller cap with shaft 60 and 70 axle
- 36 PVC adapter for telescopic roller cap, axle from 42 to 50 and 60
- 37 Stopper 40 mm
- 38 Bar locking
- 39 Ball bearing lodging 12
- 40 Ball bearing lodging 10
- 41 Metal ball bearing lodging 12
- 42 4 x 40 screws PVC box
- 43 Autothread screws 3,5 x 9,5
- 44 From 42 x 0,4 - 0,6 - 0,8 octagonal axle
- 45 From 60 x 0,4 - 0,6 - 0,8 octagonal axle

ELEVATION SYSTEMS



1



2



6



3



30



4



24



5



28



31



25



27



7



8



9



10

11



12

13



14

DESCRIPTION














- 1** Universal strap coiler 20, aluminium cover plate
- 2** Universal strap coiler 14,18,20 PVC cover plate
- 3** Strap swivelling coiler 20 "Eurosax"
- 4** Cord coiler with lever
- 5** Strap swivelling coiler 14,18,20
- 6** Autoblockade spring lock with rings
- 7** Crank system box
- 8** Crank mechanism
- 9** Crank tap
- 10** Cable guide built-in
- 11** Cable guide compact
- 12** Crank cable
- 13** Screw crank mounted
- 14** Crank handle
- 15** Motor FMM manually-operated
- 16** Motor electronic Sat "remote-controlled"
- 17** Motor FMI mini/compact axle 42
- 18** Motor FMI/FCI axle 60
- 19** Remote control 6 channels wall support
- 20** Mini remote control 1 channel wall support
- 21** Central Beta SAT
- 22** Central Alfa SAT
- 23** Remote control 1 channel wall support
- 24** Snodo 90°
- 25** Gear-box mechanism
- 26** Roller cap for gear box axle 42, octagonal
- 27** Roller cap for gear box axle 60, octagonal
- 28** Magnet handle
- 29** Remote control 2 channels wall support
- 30** Gear Crank
- 31** Gear-box Handle
















Official distributor for Spain and Portugal


ALUMINIUM AND PVC GUIDES

FOR MINI AND COMPACT











REGULABLE
CORNER



GUIDES AND PROLONGER FOR PVC CARPENTRY



PROLONGER FOR
MOSQUITO SCREEN





NATIONAL

PERSITRONIK S.L.L.
33438 Prendes (Careño) **(Asturias)** _____ Tlfno.: 985 88 73 00 Fax: 985 88 79 71
www.persitronik.com info@persitronik.com

PERSIANAS LUSER, S.L.
13420 Malagón **(Ciudad Real)** _____ Tlfno.: 926 266 015 - Fax: 926 266 016
www.persianasluser.com info@persianasluser.com

PERSIANAS ROGIPER, S.L.
29196 **(Málaga)** _____ Pol. Ind. Santa Teresa, C/ Caleta de Velez, 64 A-B
Tlfno: 952 105 351 Fax: 952 243 799
www.rogiper.com info@rogiper.com

C.F. TU-PER S.L.
08150 Parets del Vallès **(Barcelona)** _____ Poligono Ind. Can Volart,
C/ Garbí Nave 3 y 5
Tlfno.: 93 573 02 23 Fax: 93 573 13 80
www.tuper.es tuper@tuper.es

PERSIANAS OLIVARES, S.L.U.
13610 Campo de Criptana **(Ciudad Real)** _____ Poligono Industrial "Pozo-Hondo"
Avda. Castilla León, parcela 36
Tlfno: 926.56.41.99 * FAX: 926.56.37.65
www.persianasolivares.com
info@persianasolivares.com

GIMENEZ MAYERO, S.L.
10300 Navalmoral de la Mata **(Cáceres)** _____ Carretera de Jarandilla, 54
Tlfno: 927.53.36.76 * Fax: 927.53.80.36
www.persianasgima.com
info@persianasgima.com

PERSIANAS CALELLA S.L.
08380 Malgrat de Mar **(Barcelona)** _____ Poligono Industrial "Can Patalina"
Avda. Francesc Sanllehi i Bosch, 40
Tlfno: 937.61.91.23 * Fax: 937.61.91.39
www.persianascalalla.com
info@persianascalalla.com

GIMENEZ GANGA MADRID, S.L.
45210 - Yuncos **(Toledo)** _____ Poligono Industrial "Villa de Yuncos"
Avda. de los Austrias, 10 - Nave 94
Tlfno: 925.53.61.72 * Fax: 925.52.51.69
www.gimenezgangamadrid.com
info@gimenezgangamadrid.com

PERSILOMA, S.L.
23400 - Ubeda **(Jaén)** _____ Poligono Industrial "Los Cerros de Ubeda"
C/ Ceramica, 7
Tlfno: 953.79.30.65 * Fax: 953.79.64.74
www.persiloma.com
info@persiloma.com

INTERNATIONAL

PUVECEL INTERNACIONAL S.A. DE CV.
45010 Zapopan Jalisco **(Mexico)** _____ Calzada Paraísos, nº 7014
Colonia Ciudad Granja
Tlfno. 523.33.62.73.193 Fax: 523.33.62.73.194
www.puvecelmexico.com
info@puvecelmexico.com

ESTORES LIMITE, LDA.
4440 Valongo **(Portugal)** _____ Zona Industrial da Gandra
Rua da Industria, 200/218/240 (230-Campo)
Tlfno.: 351-224.159.958 Fax: 351-224.159.960

GRUPO D.A.P.
San Justo 1754 Buenos Aires **(Argentina)** _____ FABRICA: Pte. J.D. Perón 1927/29
San Justo - 1754
Tlfno: 54-11-4461-6446 * Fax: 54-11-4461-6336
www.dap.com.ar
info@dap.com.ar
ALMACEN: Eva Perón 1927/29
1704-Damos Mejías
Tlfno. y Fax: 54 11 464 71771



GIMENEZ GANGA

Autovía de levante, km.42
03630-Sax (Alicante) ESPAÑA
Tlfno: +34 965 474 050-965 474 205
Fax: 965 474 563
info@gimenezganga.com



OFICINA BARCELONA
Edifici Centre Serveis El Plá
C/. Plá, 166 despacho 13
08980 Sant Feliú Llobregat - BARCELONA
Tel.: 93 632 69 85
Fax: 93 632 69 86
barcelona@gimenezganga.com

www.gimenezganga.com